

PIE DIFFUSION

4 Rue des Maraichers 78260 ACHERES Tel. 01.39.11.61.62 Fax 01.39.11.72.00

Versatile cutting device **Type C 057**



Specification:

- Dimensions: 420 x 200 x 70 mm - Weight: approx. 3,5 kgs - Compressed air: 4 to 6 bar

- Pitch dimension: 2,5 mm and 2,54 mm

- Pitch-grid: 13 x 21 drill holes for edge connectors;

TO 18/TO 92/TO 5; 2, 54 x 1,27 mm; 5,08 x 2,54 mm; 7,62 x 5,08 mm;

round pitch for operational amplifiers with 8 and 10 leads;

- Wire diameter: 0,8 to 1,5 mm

standard 3 m (different dimensions on inquiry) - Cutting length:

- Operation: by pneumatic foot switch


- Special-purpose hole pictures:on inquiry


Function:


Cutting device for cutting the leads of components with axial and radial wire termination incl. ICs to required length.

Also the leads of female multipoint connectors can be cut with this device. Beyond the cutting plate a slanted knife is moved over the whole working surface. By that every single connection is cut.

The cutting plates are manufactured from highquality tool steel, hardened to 60 HRC and ground.







C 057.doc V.03; Oktober 99